



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY—Continued

Morbidity and mortality table, cities of the United States, for week ended January 7, 1911—Continued

Cities	Popula- tion, United States census, 1910	Total deaths from all causes	Diph- theria		Measles		Scarlet fever		Small- pox		Tuber- culosis		Ty- phoid fever	
			Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
<i>Cities having less than 25,000 inhabitants—Con.</i>														
Moline, Ill.	24,199	6	4	1	9		1				1		4	
Montclair, N. J.	21,550	6					1				1	1		
Morristown, N. J.	12,507	9	2								1			
Nanticoke, Pa.	18,877	6	2											
Newburyport, Mass.	14,949	9	1		3						1			
North Adams, Mass.	22,019	9			4									
Northampton, Mass.	19,431	9												
Ottumwa, Iowa.	22,012	10												
Paducah, Ky.	22,700													
Palmer, Mass.		4	1											
Peekskill, N. Y.		4					1							
Plainfield, N. J.	20,550	3	1				1				2		1	
Portsmouth, N. H.	11,269		1											
Pottstown, Pa.	15,599	3			1		2							
Rock Island, Ill.		7	2	1							1	1		
Rutland, Vt.	13,546	9											1	
Saratoga Springs, N. Y.		4	4											
South Bethlehem, Pa.	19,973	9									2		3	
Steelton, Pa.	14,246	10	1				1				3		1	
Warren, Ohio.	11,081													
Wilkinsburg, Pa.	18,924	3											1	
Woburn, Mass.	15,308	4												
Zanesville, Ohio.		9			9							1	6	2

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated)

FLORIDA.—Week ended January 7, 1911. Reports from the State board of health show typhoid fever present in 1 locality (Tampa) with 1 case, smallpox in 5 counties (Alachua, Duval, Escambia, Hillsboro, Leon) with 25 cases (1 death), diphtheria in 2 localities with 2 cases, malaria in 4 localities (Tampa, Plant City, Jacksonville, Gainesville) with 13 cases, tuberculosis in 7 localities with 14 cases.

Pensacola.—Month of December, 1910. Population, 30,000. Total number of deaths from all causes 48, including tuberculosis 1.

ILLINOIS—Alton.—Month of December, 1910. Population, 17,528. Total number of deaths from all causes 16, including tuberculosis 2. Cases reported: Smallpox 2, scarlet fever 1, diphtheria 7.

Quincy.—Month of December, 1910. Population, 36,587. Total number of deaths from all causes 66, including typhoid fever 1, diphtheria 1, tuberculosis 4. Cases reported: Typhoid fever 2, smallpox 7, measles 3, scarlet fever 6, diphtheria 4.

IOWA—Cedar Rapids.—Month of December, 1910. Population, 33,817. Total number of deaths from all causes 34, including typhoid fever 3. Cases reported: Smallpox 17, scarlet fever 1, diphtheria 10.

KENTUCKY—*Henderson*.—Month of December, 1910. Population, 17,500. Total number of deaths from all causes 13, including tuberculosis 4. Cases reported: Typhoid fever 1, tuberculosis 1.

LOUISIANA—*Shreveport*.—Month of December, 1910. Population, 30,000. Total number of deaths from all causes 81, including typhoid fever 3, tuberculosis 11, of which 9 were of nonresidents.

MINNESOTA—*Stillwater*.—Month of December, 1910. Population, 12,528. Total number of deaths from all causes 18, including tuberculosis 4. Cases reported: Scarlet fever 1.

NEW YORK.—Month of November, 1910. Population, 8,871,720. Total number of deaths from all causes 10,726, including typhoid fever 163, measles 30, scarlet fever 79, diphtheria 194, tuberculosis 1,207. Cases reported: Typhoid fever 989, smallpox 2, measles 1,593, scarlet fever 1,673, diphtheria 2,144, tuberculosis 3,240.

NORTH CAROLINA.—Month of November, 1910. Reports from the State Board of Health show typhoid fever present in 51 counties, smallpox in 16 counties, measles in 7 counties, scarlet fever in 40 counties, diphtheria in 58 counties, malarial fever in 4 counties, pernicious malarial fever in 7 counties, hemorrhagic malarial fever in 7 counties.

PENNSYLVANIA.—Reports from the State Department of Health show as follows:

Mortality.—Month of October, 1910. The total number of deaths reported was 9,403, including typhoid fever 287, scarlet fever 69, diphtheria 234, measles 27, whooping cough 91, influenza 14, malarial fever 4, tuberculosis of the lungs 655, tuberculosis of other organs 131, cancer 445, diabetes 57, meningitis 61, acute anterior poliomyelitis 50, pneumonia 785, diarrhea and enteritis under 2 years 850, diarrhea and enteritis over 2 years 130, Bright's disease 489, early infancy 697, suicide 84, accidents in mines and quarries 91, railway injuries 110, other forms of violence 415, all other diseases 3,627.

Morbidity.—Month of November, 1910. Cases of communicable diseases were reported as follows: Anterior poliomyelitis 95, cerebrospinal meningitis 6, chickenpox 648, diphtheria 1,834, erysipelas 95, German measles 36, malarial fever 2, measles 1,441, mumps 271, pneumonia 482, puerperal fever 3, rabies 1, scarlet fever 981, smallpox 1, tetanus 12, trachoma 5, tuberculosis 991, typhoid fever 1,442, whooping cough 666, total 9,012.

SOUTH CAROLINA—*Charleston*.—Month of December, 1910. Population 58,833. Total number of deaths from all causes 130, including typhoid fever 2, diphtheria 1, pellagra 1, tuberculosis 13. Cases reported: Typhoid fever 2, scarlet fever 1, diphtheria 6.